

True Match® Lamps Safety Coated



K29®
(Safety Coated)

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K29-S	15" Kino 800ma KF29 SFC	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1120
242-K29-S	2ft Kino 800ma KF29 SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1625
362-K29-S	3ft Kino 800ma KF29 SFC	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2475
488-K29-S	4ft Kino 800ma KF29 SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3320



K32®
(Safety Coated)

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K32-S	15" Kino 800ma KF32 SFC	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1130
242-K32-S	2ft Kino 800ma KF32 SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1640
362-K32-S	3ft Kino KF32 SFC	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2500
488-K32-S	4ft Kino 800ma KF32 SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3350



K55®
(Safety Coated)

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K55-S	15" Kino 800ma KF55 SFC	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1100
242-K55-S	2ft Kino 800ma KF55 SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1610
362-K55-S	3ft Kino 800ma KF55 SFC	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2450
488-K55-S	4ft Kino 800ma KF55 SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3290

True Match® Lamps



K29®

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K29	15" Kino 800ma KF29	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1120
242-K29	2ft Kino 800ma KF29	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1625
362-K29	3ft Kino 800ma KF29	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2475
488-K29	4ft Kino 800ma KF29	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3320

**K32®**

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K32	15" Kino 800ma KF32	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1130
242-K32	2ft Kino 800ma KF32	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1640
362-K32	3ft Kino 800ma KF32	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2500
488-K32	4ft Kino 800ma KF32	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3350

**K55®**

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage	Lumens
152-K55	15" Kino 800ma KF55	F30/T12/HO	15" (360mm)	1.5" (38mm)	G13 Med Bipin	30	1100
242-K55	2ft Kino 800ma KF55	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40	1610
362-K55	3ft Kino 800ma KF55	F60/T12/HO	36" (900mm)	1.5" (38mm)	G13 Med Bipin	60	2450
488-K55	4ft Kino 800ma KF55	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75	3290

Visual FX and Designer Colors — Safety Coated (SFC)

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage
242-P10-S	2ft Phil 420 Blue SFC	F20/T12	24" (600mm)	1.5" (38mm)	G13 Med Bipin	20
482-S10-S	4ft Syl 420 Blue SFC	F65/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	65
242-K4-S	2ft Kino 800ma 450 Blue SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K4-S	4ft Kino 800ma 450 Blue SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K5-S	2ft Kino 800ma 525 Green SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K5-S	4ft Kino 800ma 525 Green SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K6-S	2ft Kino 800ma 580 Gold SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K6-S	4ft Kino 800ma 580 Gold SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75

242-K7-S	2ft Kino 800ma 612 Pink SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K7-S	4ft Kino 800ma 612 Pink SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K8-S	2ft Kino 800ma 625 Red SFC	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K8-S	4ft Kino 800ma 625 Red SFC	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75

Visual FX and Designer Colors

Part Number	Description	Type	Length	Diameter	Nominal Base	Wattage
242-P10	2ft Phil 420 Blue	F20/T12	24" (600mm)	1.5" (38mm)	G13 Med Bipin	20
482-S10	4ft Syl 420 Blue	F65/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	65
242-K4	2ft Kino 800ma 450 Blue	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K4	4ft Kino 800ma 450 Blue	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K5	2ft Kino 800ma 525 Green	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K5	4ft Kino 800ma 525 Green	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K6	2ft Kino 800ma 580 Gold	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K6	4ft Kino 800ma 580 Gold	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K7	2ft Kino 800ma 612 Pink	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K7	4ft Kino 800ma 612 Pink	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-K8	2ft Kino 800ma 625 Red	F40/T12/HO	24" (600mm)	1.5" (38mm)	G13 Med Bipin	40
488-K8	4ft Kino 800ma 625 Red	F75/T12/HO	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	75
242-S9	2ft Syl 350 Blacklight / Blueglass	F20/T12	24" (600mm)	1.5" (38mm)	G13 Med Bipin	20
482-S9	4ft Syl 350 Blacklight / Blueglass	F40/T12	48" (1200mm)	1.5" (38mm)	G13 Med Bipin	40

* Kino Flo recommends 420nm Safety Coated Blue for Blue Screen and 525nm Safety Coated Green for Green Screen.